

3-6-02

A



750 BERING DRIVE
HOUSTON, TX 77057-2198
PHONE 713.787.1400
FAX 713.787.1440
A LIMITED LIABILITY PARTNERSHIP

03/04/02
 U.S. PTO

March 4, 2002

Writer's Direct Dial:
952.474.3701

03/04/02
 U.S. PTO

FILE: ESPD:158
(10872.0158.NPUS00)

CERTIFICATE OF EXPRESS MAILING	
NUMBER	ELS830938305 US
DATE OF DEPOSIT	3/4/02
I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, DC 20231.	
 Signature	

BOX PATENT APPLICATION

Commissioner for Patents
Washington, DC 20231

RE: *U.S. Patent Application Entitled: SELF-SEALING DISPENSING VALVE FOR HUMIDIFIER WATER BOTTLES- by Steven Rhea and Mark Tomasiak*

Sir:

Transmitted herewith for filing is a 16-page patent specification including 15 claims and an abstract. Also included are figures 1-10 on 6 sheets and an application data sheet.

Please note that this application is filed without an inventors' Declaration and Assignment, a Power of Attorney, and filing fees. Pursuant to 37 C.F.R. § 1.53(b) and (f), the Applicants request the Patent and Trademark Office to accept this application and accord a serial number and filing date as of the date this application is deposited with the U.S. Postal Service for Express Mail. Further, the Applicants request that the NOTICE OF MISSING PARTS-FILING DATE GRANTED pursuant to 37 C.F.R. § 1.53(f) be sent to the undersigned Applicants' representative.

Please date stamp and return the enclosed postcard to evidence receipt of this application.

Commissioner for Patents

March 4, 2002

Page 2

Please forward any reply to this communication directly to our Houston office for docketing purposes. The mailing address and the physical address for courier packages is 750 Bering Drive, Houston, Texas, 77057-2198, and the Houston fax number is 713.787.1440.

Respectfully submitted,

Mark L. Gleason
Reg. No. 39,998

Encl: As noted